



Professor Alberto M. Cuitiño
American Academy of Mechanics
School of Engineering
Rutgers University
98 Brett Road
Piscataway, NJ 08854-8058

Non-profit Organization
U.S. Postage
PAID
New Brunswick, NJ
Permit No 157

mechanics

Academia Americana de Mecánica • American Academy of Mechanics

Volume 35, Number 11-12

November-December 2006

ADVERTISEMENT POLICY

An advertisement for a position opening is charged a flat rate of \$200. Payment must be done by check to the order of American Academy of Mechanics or credit card (Visa and MasterCard only) and sent to: American Academy of Mechanics, Alberto M. Cuitiño, School of Engineering, Rutgers University, 98 Brett Road, Piscataway, NJ 08854-8058. E-mail: mechanics@soemail.rutgers.edu.

The FID number for AAM is 23-7045163. Announcements for forthcoming events, conferences, and workshops are free of charge. Advertisements may be sent by FAX or e-mail (MSWord, PDF or plain text). Logo of the institution may be included if the graphic file is provided.

Mechanics is a bi-monthly magazine. To be considered for publication in forthcoming issues, an advertisement must be received one month in advance of the publication date. For example, an advertisement must be received before the end of November to appear in the January-February issue. Please note that the magazine is distributed near the end of the two-month period. The advertisement will continue to appear in future issues until the deadline of the position opening.

Visit the AAM website to read recent advertisements of position openings and past issues of Mechanics at www.AAMech.org.

mechanics

mechanics provides its readers with news in the field of theoretical and applied mechanics, and serves as a forum for the presentation and discussion of issues related to the development of the science and profession of mechanics. Opinions expressed are those of the authors and do not necessarily reflect official points of views of AAM or the institutions with which the authors are affiliated.

Editor: Alberto M. Cuitiño (Rutgers University, U.S.A.)

Associate Editors: Gustavo Buscaglia (Balseiro Institute, Argentina), Gerardo Diaz (Universidad de Chile), Alex Elias-Zuniga (Instituto Tecnológica y de Estudios Superiores de Monterrey), Djenane Pamplona (PUC-Rio, Brazil), Luis Suarez (Universidad de Puerto Rico), Reza Vaziri (The University of British Columbia).

The American Academy of Mechanics is a non-profit corporation incorporated in 1969 under the laws of the Commonwealth of Pennsylvania. Its objective is to advance the science and profession of mechanics, with particular reference to the countries of North, South, and Central America. It aims to facilitate cooperation among mechanicians, to encourage recognition of achievements in mechanics, and to promote public understanding of the work of the mechanician.

Board of Directors (2005): President and Chairman of the Board: S. Kyriakides (University of Texas at Austin); President-Elect: R. Abeyaratne (Massachusetts Institute of Technology); Immediate past President: M. Paidoussis (McGill University); Secretary: R. McMeeking (University of California at Santa Barbara); Treasurer: R.A. Heller (Virginia Polytechnic Institute and State University); Director, Region IA (Eastern USA): L. Virgin; Director, Region IB (Central and Western USA): *position open*; Director, Region II (Canada): P. Spanos; Director, Region III (Central and South America): P. Kittl (Universidad de Chile); Publisher: R.M. Haythornthwaite (Temple University); Secretary to the Fellows: K. Liechti (University of Texas at Austin). Chairman of PACAM Committee: M. Ostoja-Starzewski

mechanics (ISSN 0076-5783) **POSTMASTER:** Send address changes to *mechanics*, Subscription and Membership, ESM, MC 0219, Virginia Tech, Blacksburg, VA 24061 (Tel. 540-231-6871: Fax 540-231-2290). Editorial and Advertising: Alberto M. Cuitiño, Rutgers University, 98 Brett Rd., Piscataway, NJ 08854-8058 (Tel. 732-445-4210, Fax 732-445-3124). Membership in the American Academy of Mechanics includes the subscription to *mechanics*.

American Academy of Mechanics
Academia Americana de Mecánica

SOCIETY ANNOUNCEMENT

The American Academy of Mechanics is pleased to announce the awardees for the Founder's Prize and Grant for 2006-2007. These are Mr. Vijay Shilpiekandula of the Massachusetts Institute of Technology, for his essay "Progress Through Mechanics: Small-Scale Gaps" and Mr. Patrick Dondl of the California Institute of Technology, for his essay "Progress Through Mechanics: The Martensitic Phase Transformation." Mr. Dondl's essay is reprinted this month, concluding our presentation of the prize-winning efforts. These essays will also be made available in the Founder's Prize and Grant section of the American Academy of Mechanics website, <http://www.aamech.org/prize.html>.

Progress through Mechanics: The Martensitic Phase Transformation

Patrick W. Dondl

Ph.D. Candidate, Applied and Computational Mechanics
California Institute of Technology, Pasadena, CA 91125 USA
Phone: 626-395-4165; Email: pwd@caltech.edu

The shape memory effect that occurs in some metallic alloys has been studied extensively by materials scientists since its discovery in the 1960s. After undergoing a plasticity-like deformation, these alloys return to their original shape when heated above a certain critical temperature. Advances in the understanding of these materials could lead to practical applications in diverse fields. Common uses of shape memory alloys today, like artery- or colon stents [11] and even eyeglass frames, utilize the high temperature phase only, where elastically reversible deformations of up to 6% length difference can be achieved. Materials exhibiting this shape memory behavior include nickel-titanium alloys as well as copper-aluminum-nickel and copper-zinc-aluminum. The effect has recently received much attention as a possible source of actuation in micro electro-mechanical systems (MEMS) [4], due to the fact that the work output per unit volume of phase-transforming materials is the largest among possible actuator systems [10].

Micro electro-mechanical systems integrate sensors, electronic circuits and actuation on a single chip, usually silicon based. For example, an application already in use today is that of digital light projection displays, where hundreds of mirrors that can be individually moved are attached to the surface of a silicon wafer. The possibilities range much further though. Implantable insulin pumps for diabetics are currently under development. The integration of sensors and microscale pumps in these systems would help achieve previously impossible accuracy in administering the drug. Currently, there is also research being conducted on neural prosthetics that directly communicate with nerve cells by inserting a movable electrode. These applications have one thing in common. They require strong, highly accurate, and bio-compatible microscale actuators that can easily be attached and linked to microchips. Electrostatic actuators in current use lack these properties, however, shape memory materials—like nickeltitanium—could solve the problem. The idea is to deposit a single crystal film of shape memory material onto a substrate and add a temperature controlling element to enable interaction with the other components of the device. A small area of the substrate underneath the film is then

removed by back-etching to give a free standing thin film of phase-transforming material that is bonded on all sides. If certain crystallographic conditions are satisfied, the thin film can be cycled between a flat and a tent like structure, performing as a micro- or nanoscale pump or valve [6].

Space exploration provides another possible use for phase-transforming martensitic materials. The challenge is to integrate structure and actuation in order to build large foldable devices with very low mass. Once the structure is deployed into space, the solar panels and antennas need to unfold. Shape memory materials could provide the necessary means of actuation, while afterwards serving as structural parts of the device and providing stability.

These applications bring many challenges in the field of mechanics. The interplay of surface and phase boundary energies with complex multi-well strain energies leads to microstructure. Materials scientists have characterized the various types of such microstructure, but the use of shape memory alloys as actuators requires more knowledge about the properties of its evolution. It is not clear, for example, what kinetic law relates the velocity of a domain boundary between two martensitic variants with the thermodynamic driving force from loading. Also, the interaction of such domain walls with crystallographic defects is thought to have great influence on the kinetic parameters of the pseudo-plastic deformation [2], yet it is not well understood in domains of more than one dimension. The design of complex structures with highly nonlinear materials also leads to many new challenges. The tents formed by martensitic thin films [1] can for example be examined numerically [7]. New and unexpected buckling modes have been discovered in stents made of nickel-titanium. Foams of shape memory materials are being investigated for their properties of impact energy absorption.

Microscopically, the shape memory effect is caused by a reversible diffusionless phase transition, the so-called martensitic phase transformation. The material is characterized by a low symmetry crystal group in the low-temperature phase, the martensite, while the high-temperature phase, the austenite, exhibits a higher symmetry. Without any applied load, there is always more than one stable martensitic phase. These energetically equivalent variants of martensite are related by the symmetry operations of the high symmetry phase [3]. In the continuum description, the symmetry properties lead to a complex energetic landscape, the modeling of which is an interesting problem in its own right [8].


Consider for example nickel-titanium alloys. The austenite phase is of cubic crystallographic symmetry, and there are 12 variants of the monoclinic martensitic phase. Let us assume that in the unstrained original configuration, all variants occupy an approximately equal volume fraction of the crystal. This situation is called the twinned state. Under an applied load, however, the variant that is most compatible with the load is preferred and will increase in volume fraction. This leads to a plastic deformation of the crystal. After heating the material above the critical temperature, the body returns to its original shape because now only the single cubic phase is stable. It is this direct coupling of temperature, crystal structure and macroscopic deformation that is responsible for unique properties of martensitic materials. Twinning will reoccur upon lowering the temperature again.

The research on shape memory materials has led to advances in several other areas of interest. The knowledge of microstructure and its evolution is vital for the understanding of plasticity [5]. Ferroelectric materials exhibit a highly nonlinear coupling of the deformation of a material to an applied electric field and are studied using similar techniques. The essential nonlinear nature of the phenomena involved in the shape memory effect also calls for new mathematical methods to investigate the resulting models. The applications of martensitic materials are not restricted to metallic shape memory alloys. Complex protein structures undergo the same kind of phase transformation and can be understood through mechanics [9]. These bio-nano actuators could lead to considerable advances in medicine. These prospective applications make shape memory materials a very promising area of research.

References

- [1] K. Bhattacharya and R. D. James. A theory of thin films of martensitic materials with applications to microactuators. *J. Mech. Phys. Solids*, 47(3):531–576, 1999.
- [2] Kaushik Bhattacharya. Phase boundary propagation in a heterogeneous body. *R. Soc. Lond. Proc. Ser. A Math. Phys. Eng. Sci.*, 455(1982):757–766, 1999.
- [3] Kaushik Bhattacharya. *Microstructure of Martensite: Why It Forms and How It Gives Rise to the Shape-Memory Effect*. Oxford University Press, 2003.
- [4] Kaushik Bhattacharya and Richard D. James. The Material Is the Machine. *Science*, 307(5706):53–54, 2005.
- [5] Sergio Conti and Michael Ortiz. Dislocation Microstructures and the Effective Behavior of Single Crystals. *Arch. Rat. Mech. Anal.*, 176(1):103–147, 2005.
- [6] J. Cui and R. D. James. In Preparation.
- [7] Patrick W. Dondl, Ching-Ping Shen, and Kaushik Bhattacharya. Computational Analysis of Martensitic Thin Films using Subdivision Surfaces. Submitted to IJNME.
- [8] Patrick W. Dondl and Johannes Zimmer. Modeling and simulation of martensitic phase transitions with a triple point. *J. Mech. Phys. Solids*, 52(9):2057–2077, 2004.
- [9] Wayne Falk and Richard D. James. Elasticity theory for self-assembled protein lattices with application to the martensitic phase transition in bacteriophage T4 tail sheath. *Phys. Rev. E*, 73:011917, 2006.
- [10] P. Krulevitch, A.P. Lee, P.B. Ramsey, J.C. Trevino, J. Hamilton, and M.A. Northrup. Thin film shape memory alloy microactuators. *J MEMS*, 5(4):270–282, Dec 1996.
- [11] D. Stoeckel, A. Pelton, and T. Duerig. Self-expanding nitinol stents: material and design considerations. *European Radiology*, 14:292–301, 2004.

POSITIONS AVAILABLE



Cornell University
School of Civil and
Environmental Engineering

Announces two tenure-track faculty positions in structural engineering starting in Fall 2007-2008.

At Cornell, structural engineering is conceived of broadly. Thus we are seeking candidates with a passion for applying fundamental principles of physics, cast within the framework of solid and structural mechanics, to enable improvements in understanding and design of complex structural systems in a multi-scale context, and across a range of materials.

In this spirit, two complementary candidates are sought:

- 1) *High performance materials. Position #00127814* - The successful candidate for position one is expected to advance the analysis and design of structural systems made of high-performance materials including concrete structures by integrating structural mechanics with multi-scale modeling and advanced experimentation. The Cornell NEES site and the newly renovated Bovay Laboratory Complex will likely be of value to this candidate's research program.
- 2) *Computational mechanics. Position #00141783* - The successful candidate for position two is expected to have expertise in multi-scale modeling and simulation of materials and structures with considerable background and interest in uncertainty quantification. The cyber infrastructure capabilities of the Cornell Theory Center will likely be of value to this candidate's research program.

For both positions, additional supporting interests and expertise in areas such as smart and multifunctional materials, earthquake engineering, risk and reliability, and sensing and structural health monitoring will be considered. Additional information may be found at <http://www.cee.cornell.edu/>

The successful candidates for these positions will seek innovative solution methodologies to challenging structures problems wherever they may be. Candidates must have a PhD in engineering or an allied field within the physical sciences.

Appointments at the rank of Assistant Professor are anticipated, but applications from candidates from all levels are welcomed. Applications will be held in strict confidence. To apply please mail a detailed resume, statement of professional research and teaching goals, official graduate transcript, and the names, addresses, e-mail addresses, and phone and fax numbers of at least three references to:

Structural Engineering Search Committee Chair
School of Civil and Environmental Engineering
220 Hollister Hall, Cornell University, Ithaca, New York 14853-3501

In addition, electronic copies of all application materials must be submitted on-line at http://www.cee.cornell.edu/position_search/ Review of applications will begin immediately and continue until the position is filled.

The College of Engineering is an equal-opportunity, affirmative-action employer committed to employing a highly qualified, diverse faculty. Women and minorities are encouraged to apply for these positions.



Senior Faculty Position in Structural Engineering

Applications for a senior faculty member in structural engineering are being accepted to join a research-active structural and solid mechanics group. Qualified candidates who demonstrate a record of scholarly publications, externally funded research, and leadership will be considered at the tenured Full or Associate Professor level.

Specializations of particular interest include structural systems, optimization, bridge engineering, fracture and fatigue of metal structures, blast resistant design, structural reliability, and seismic design. The individual will have demonstrated experience in developing and directing a program of research in their chosen field of expertise. The goal is for the individual to lead a balanced program of research at both the fundamental and applied levels. This individual will have the opportunity to merge the department's resources with those of the Virginia Transportation Research Council (VTRC) located on the grounds of UVA.

Requirements: Candidates must possess an earned Doctorate in Civil Engineering, with a specialization in structural engineering. Professional registration or ability to become registered is desirable.

Responsibilities: Teach undergraduate/graduate courses in a contemporary Structural Engineering and Mechanics program. Establish and maintain an externally funded research program in collaboration with other members of the group. Support and supervise graduate students pursuing M.S. and Ph.D. degrees.

Review begins December 1, 2006. Applications will be accepted until position is filled. The University is committed to building a culturally diverse educational environment. It is especially interested in candidates who can contribute to the diversity and the excellence of the academic community through their research, teaching and/or service. Applicants are requested to include in their cover letter information about how they will further these goals. Please send complete resume, names, addresses, telephone, fax, and e-mail addresses of three references to: **Dr. Lester A. Hoel, Search Committee Chair and L. A. Lacy Distinguished Professor of Engineering, Department of Civil Engineering, University of Virginia, 351 McCormick Rd., P.O. Box 400742, Charlottesville, VA 22904-4742.**

Applications may also be submitted electronically to mjd-cvl@virginia.edu

Additional information about the Department can be found at
<http://ce.virginia.edu> and <http://vtrc.virginiadot.org/>

The University of Virginia is an Equal Opportunity/Affirmative Action Employer.

